Er



Model Code N8649

date of issue 12-04-24 revision 00 revision of 15-04-24 (the present replaces any previous versions)

Designer: Lauriero

Structure: pinewood, multilayer covered with ecological polyurethane foam covered with 100% polyester layer.

Spring system: elastic webbing

Seat Padding: in ecological polyurethane foam covered with 100% polyester layer.

Back Padding: in ecological polyurethane foam covered with 100% polyester layer.

Arm Interior: in ecological polyurethane foam covered with 100% polyester layer.

Removability: not available

Sewing: covers are feasible with tone-on-tone stitching or, upon request, with contrast stitching in the colors available. Cuts and sewing on leather covers differ from cuts and sewing on fabric covers.

Standard feet: in PVC h, 3.5 cm, with anti-slip rubber.

Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
1	30+35 Medium	28	
D - NL - CH			
USA - California			
GB	37 fire retardant	30 fire retardant	
Others	30+35 Medium	28	

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it sadvisable to look at the SAFETV INFORMATION TECHNIOUE for info use and protection of people and of the environment, in compliance with existing EEC regulations.

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric	✓		
microfibre	✓		
leather + split			~
DeLuxe*			~
multi colour**	✓		
multi-category**			
multi covering**	✓		

* Deluxe, Fabrics and microfibers are not available for the U.K. - USA/CA - IE market



Feet



P633A



Ottoman


We reserve the right to amend materials, covers and product dimensions shown on the data sheet, for production purposes and without prior notice. The line drawings, graphic information, dimensions, and volume provided are approximate and may vary due to the tolerances allowed in the production process with a view to improvements. The following maximum load values are recommended under normal use: armchairs max. 120 kg, 2-seater sofas max. 200 kg (2x100 kg), 3-seater sofas max. 240 kg (3x80 kg). Exceeding the recommended load may cause a structural failure of the sofa/armchair or its components.

fold following the dotted line

N_Eris

NICOLETTIHOME"

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).





L 124 H83 D105 SH42 SD66 168 chr no arms mer.rgt fac.ter.


 \clubsuit fold following the dotted line \clubsuit

N_Eris


NICOLETTIHOME"

Model Code N8649

date of issue 12-04-24 revision 00 of 15-04-24 (the present replaces any previous versions)



Available in multi-covering: 1st cov. (leather): rear part of the sofa; 2nd cov. (leather/fabric/microfiber) cushions, backrests, armrests/sides; 3rd cov. (leather/fabric/microfiber - in the same color and cover of 1st and 2nd cover) decorative trim. Also available in multicolor: 1st col. (fabric/microfiber): rear part of the sofa; 2nd col. (fabric/microfiber): cushions, backrests, armrests/sides; 3rd col. (fabric/microfiber): not cover of 1st and 2nd cover) decorative trim.



HNICOLETTHONE Model Code N8649